

	Type	Hits	Search Text	DBs
1	BRS	4249	362/800,544,545475,507,538,227,230,231,236,240,334,347,350361.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
2	BRS	436319	(light near emit\$6 near diod\$3) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT
3	BRS	12234	((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white	US-PGPUB; USPAT; EPO; JPO; DERWENT
4	BRS	71	((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white) and (elliptical and spherical and parabolic)	US-PGPUB; USPAT; EPO; JPO; DERWENT
5	BRS	67	((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white) and (elliptical and spherical and parabolic)) and lens	US-PGPUB; USPAT; EPO; JPO; DERWENT
6	BRS	332	362/800,544,545475,507,538,227,230,231,236,240,334,347,350361.ccls. and ((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT
7	BRS	10	luk-john-f.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT
8	BRS	17	"2374919".URPN.	USPAT
9	IS&R	9	((("4654629") or ("4826269") or ("4893223") or ("5673995") or ("5690417") or ("5752766") or ("5838247") or ("5890794") or ("6033087"))).PN.	USPAT; USOCR
10	BRS	7	("4298869" "5036248" "5136287" "5184114" "5457450" "5528474" "5633629").PN.	USPAT
11	BRS	27	"5838247".URPN.	USPAT
12	BRS	8	("3694902" "3735117" "4173035" "4404621" "4742432" "4984057" "5003443" "5053931").PN.	USPAT
13	BRS	4	"5673995".URPN.	USPAT
14	BRS	4	"5673995".URPN.	USPAT
15	BRS	2	("4688939" "4814667").PN.	USPAT
16	BRS	26	"4893223".URPN.	USPAT

	Type	Hits	Search Text	DBs
17	BRS	7	("2589569" "4431266" "4826269" "4852985" "4893223" "5038258" "5106183").PN.	USPAT
18	BRS	8	"5309277".URPN.	USPAT
19	BRS	5963	362/800,544,545,475,507,538,227 ,230,231,236,240,334,347,350,36 1,249.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
20	BRS	357	362/800,544,545,475,507,538,227 ,230,231,236,240,334,347,350,36 1,249.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT
21	BRS	25	(362/800,544,545,475,507,538,22 7,230,231,236,240,334,347,350,3 61,249.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) not (362/800,544,545,475,507,538,227 ,230,231,236,240,334,347,350,361 .ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white))	US-PGPUB; USPAT; EPO; JPO; DERWENT
22	BRS	5963	362/800,544,545,475,507,538,227 ,230,231,236,240,334,347,350,36 1,249.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
23	BRS	357	362/800,544,545,475,507,538,227 ,230,231,236,240,334,347,350,36 1,249.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT
24	BRS	536	"359"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT
25	BRS	222	"340"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT
26	BRS	66	"351"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
27	BRS	416	"250"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT
28	BRS	1199	("359"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("340"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("351"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("250"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white))	US-PGPUB; USPAT; EPO; JPO; DERWENT
29	BRS	1155	((("359"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("340"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("351"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("250"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)))) not (362/800,544,545,475,507,538,227,230,231,236,240,334,347,350,361,249.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white))	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
30	BRS	38	(((("359"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("340"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("351"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("250"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white))) not (362/800,544,545,475,507,538,22 7,230,231,236,240,334,347,350,3 61,249.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white))) and (elliptical and spherical and parabolic)	US-PGPUB; USPAT; EPO; JPO; DERWENT
31	BRS	631	(((("359"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("340"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("351"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("250"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white))) not (362/800,544,545,475,507,538,22 7,230,231,236,240,334,347,350,3 61,249.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white))) and (elliptical or spherical or parabolic or bawl or curv\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
32	BRS	352	(((("359"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("340"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("351"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("250"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)))) not (362/800,544,545,475,507,538,22 7,230,231,236,240,334,347,350,3 61,249.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white))) and (elliptical or spherical or parabolic)	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
33	BRS	352	(((("359"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("340"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("351"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)) or ("250"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white))) not (362/800,544,545,475,507,538,227,230,231,236,240,334,347,350,361,249.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white))) and (elliptical or spherical or parabolic)) not (362/800,544,545,475,507,538,227,230,231,236,240,334,347,350,361,249.ccls. and (((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)))	US-PGPUB; USPAT; EPO; JPO; DERWENT
34	IS&R	2	((("5660461") or ("5838247"))).PN.	USPAT; USOCR
35	BRS	2	jp-2001007406-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT
36	BRS	0	jp-20002083506-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT
37	BRS	2	jp-2002083506-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT
38	BRS	12234	(((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white	US-PGPUB; USPAT; EPO; JPO; DERWENT
39	BRS	647	(((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white) and (condens\$5 near lens\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
40	BRS	13	(((((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white) and (condens\$5 near lens\$4)) and (elliptical and spherical and parabolic)	US-PGPUB; USPAT; EPO; JPO; DERWENT
41	BRS	368	(((((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white) and (fresnel near lens\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT
42	BRS	17	(((((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white) and (fresnel near lens\$4)) and (elliptical and spherical and parabolic)	US-PGPUB; USPAT; EPO; JPO; DERWENT
43	BRS	185	(((((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white) and (lensolets or (micro near lens\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT
44	BRS	3	("5610390" "6008511" "6344666").PN.	USPAT
45	BRS	0	"6518640".URPN.	USPAT
46	BRS	0	"6518640".URPN.	USPAT
47	BRS	14	(((((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white) and 362/244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
48	BRS	436319	(((((light near emit\$6 near diod\$3) or "LED"))	US-PGPUB; USPAT; EPO; JPO; DERWENT
49	BRS	83	(((((light near emit\$6 near diod\$3) or "LED"))) and 362/244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
50	BRS	69	(((((light near emit\$6 near diod\$3) or "LED"))) and 362/244.ccls.) not ((((((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white) and 362/244.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT
51	BRS	43	362/800.ccls. and 362/244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
52	BRS	4	("5477436" "5570951" "6318886" "6367949").PN.	USPAT
53	IS&R	1	("6749310").PN.	USPAT; USOCR
54	BRS	675	"353"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED"))	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
55	BRS	207	("353"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED")) and red and blue and green and white	US-PGPUB; USPAT; EPO; JPO; DERWENT
56	BRS	17	("353"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED")) and red and blue and green and white) and (lensolets or (micro near lens\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT
57	BRS	5914	"359"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED"))	US-PGPUB; USPAT; EPO; JPO; DERWENT
58	BRS	536	("359"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED")) and red and blue and green and white	US-PGPUB; USPAT; EPO; JPO; DERWENT
59	BRS	44	("359"/\$.ccls. and (((light near emit\$6 near diod\$3) or "LED")) and red and blue and green and white) and (lensolets or (micro near lens\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT
60	IS&R	2	("5309277").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
61	BRS	7	("2589569" "4431266" "4826269" "4852985" "4893223" "5038258" "5106183").PN.	USPAT
62	BRS	8	"5309277".URPN.	USPAT
63	BRS	347	359/623,626.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
64	BRS	6361	362/800,544,545,475,507,538,227,230,231,236,240,334,347,350,361,249.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
65	BRS	384	359/623,626.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
66	BRS	6745	S64 or S65	US-PGPUB; USPAT; EPO; JPO; DERWENT
67	BRS	466303	(light near emit\$6 near diod\$3) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT
68	BRS	14045	((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
69	BRS	87	((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white) and (elliptical and spherical and parabolic)	US-PGPUB; USPAT; EPO; JPO; DERWENT
70	BRS	405	362/800,544,545,475,507,538,227,230,231,236,240,334,347,350,361.ccls. and ((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT
71	BRS	6361	362/800,544,545,475,507,538,227,230,231,236,240,334,347,350,361,249.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
72	BRS	384	359/623,626.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
73	BRS	6745	S71 or S72	US-PGPUB; USPAT; EPO; JPO; DERWENT
74	BRS	466303	(light near emit\$6 near diod\$3) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT
75	BRS	2355	S73 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT
76	BRS	166	S75 and red and blue and green and white and (ellipt\$5 or spheric\$5 or parabol\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT
77	BRS	474841	(light near emit\$6 near diod\$3) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT
78	BRS	14564	S77 and red and blue and green and white	US-PGPUB; USPAT; EPO; JPO; DERWENT
79	BRS	117490	spher\$5 with surface	US-PGPUB; USPAT; EPO; JPO; DERWENT
80	BRS	123797	spher\$5 with (surface or substrate or board)	US-PGPUB; USPAT; EPO; JPO; DERWENT
81	BRS	492	S77 with S80	US-PGPUB; USPAT; EPO; JPO; DERWENT
82	BRS	41	S81 and red and blue and green and white	US-PGPUB; USPAT; EPO; JPO; DERWENT
83	BRS	5007	((light near emit\$6 near diod\$3) or "LED") with (red and blue and green)	US-PGPUB; USPAT; EPO; JPO; DERWENT
84	BRS	186	S80 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT
85	BRS	165	S84 not S82	US-PGPUB; USPAT; EPO; JPO; DERWENT
86	BRS	6873	362/800,555,544,545,475,507,538,227,230,231,236,240,244,245,334,347,350,361,249.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
87	BRS	391	359/623,626.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
88	BRS	7264	S86 or S87	US-PGPUB; USPAT; EPO; JPO; DERWENT
89	BRS	475099	((light near emit\$6 near diod\$3) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT
90	BRS	14583	((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white	US-PGPUB; USPAT; EPO; JPO; DERWENT
91	BRS	1988	S90 and spherical	US-PGPUB; USPAT; EPO; JPO; DERWENT
92	BRS	18455	cone with (cover or casing or housing)	US-PGPUB; USPAT; EPO; JPO; DERWENT
93	BRS	21	S91 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT
94	BRS	14583	((light near emit\$6 near diod\$3) or "LED") and red and blue and green and white	US-PGPUB; USPAT; EPO; JPO; DERWENT
95	BRS	1988	S94 and spherical	US-PGPUB; USPAT; EPO; JPO; DERWENT
96	BRS	18455	cone with (cover or casing or housing)	US-PGPUB; USPAT; EPO; JPO; DERWENT
97	BRS	21	S95 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT